

DVL1L1 Antibody (N-Term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP21836a

Product Information

Application	WB, E
Primary Accession	P54792
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Clone Names	RB54012
Calculated MW	73254

Additional Information

Other Names	Putative segment polarity protein dishevelled homolog DVL1P1, DSH homolog 1-like, Segment polarity protein dishevelled homolog DVL-1-like, Dishevelled-1-like, DVL1P1, DVL, DVL1, DVL1L1
Target/Specificity	This DVL1L1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 39-71 amino acids from human DVL1L1.
Dilution	WB~~1:2000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	DVL1L1 Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	DVL1P1
Synonyms	DVL, DVL1, DVL1L1
Function	May play a role in the signal transduction pathway mediated by multiple Wnt genes.
Cellular Location	Cytoplasm.

Tissue Location

Expressed in thymus, heart, liver, kidney, brain, skeletal muscle, and pancreas.


Background

May play a role in the signal transduction pathway mediated by multiple Wnt genes.

References

Pizzuti A., et al. Am. J. Hum. Genet. 58:722-729(1996).

Images



Anti-DVL1L1 Antibody (N-Term) at 1:2000 dilution + human heart lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 73 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.