

DVL1L1 Antibody (N-Term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21836a

Product Information

Application WB, E **Primary Accession** P54792 Reactivity Human Host Rabbit Clonality polyclonal Isotype Rabbit IgG **Clone Names** RB54012 Calculated MW 73254

Additional Information

Other Names Putative segment polarity protein dishevelled homolog DVL1P1, DSH homolog

1-like, Segment polarity protein dishevelled homolog DVL-1-like,

Dishevelled-1-like, DVL1P1, DVL, DVL1, DVL1L1

Target/Specificity This DVL1L1 antibody is generated from a rabbit immunized with a KLH

conjugated synthetic peptide between 39-71 amino acids from human

DVL1L1.

Dilution WB~~1:2000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions DVL1L1 Antibody (N-Term) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information

Name DVL1P1

Synonyms DVL, DVL1, DVL1L1

Function May play a role in the signal transduction pathway mediated by multiple

Wnt genes.

Cellular Location Cytoplasm.

Expressed in thymus, heart, liver, kidney, brain, skeletal muscle, and pancreas.


Background

May play a role in the signal transduction pathway mediated by multiple Wnt genes.

References

Pizzuti A., et al. Am. J. Hum. Genet. 58:722-729(1996).

Images



Anti-DVL1L1 Antibody (N-Term) at 1:2000 dilution + human heart lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 73 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.