

RIG Antibody (C-Term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP21951b

Product Information

Application	WB, E
Primary Accession	Q13278
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Clone Names	RB54547
Calculated MW	11984

Additional Information

Other Names	Putative protein RIG, Protein regulated in glioma, RIG
Target/Specificity	This RIG antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 58-87 amino acids from of human RIG.
Dilution	WB~~1:1000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	RIG Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	RIG
Function	May serve as a molecular marker for or play a role in the malignant progression of glioblastomas.
Tissue Location	Expressed predominantly in brain and weakly in heart and lung. Expression is reduced or undetectable in cultured glioma cells, primary glioblastoma cells and malignant glioblastoma tumors.


Background

May serve as a molecular marker for or play a role in the malignant progression of glioblastomas.

References

Ligon A.H.,et al.Oncogene 14:1075-1081(1997).

Images



Anti-RIG Antibody (C-Term) at 1:1000 dilution + human lung lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 12 kDa
Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.