10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

C18orf32 Antibody (C-Term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21952b

Product Information

Application	WB, E
Primary Accession	Q8TCD1
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Clone Names	RB54244
Calculated MW	8669

Additional Information

Gene ID	497661
Other Names	UPF0729 protein C18orf32, Putative NF-kappa-B-activating protein 200, C18orf32
Target/Specificity	This C18orf32 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 26-58 amino acids from human C18orf32.
Dilution	WB~~1:2000 E~~Use at an assay dependent concentration.
Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Precautions	C18orf32 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

Protein Information

Name	C18orf32
Function	May activate the NF-kappa-B signaling pathway.
Cellular Location	Endoplasmic reticulum. Lipid droplet


Background

May activate the NF-kappa-B signaling pathway.

References

Matsuda A.,et al.Oncogene 22:3307-3318(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).

Images



All lanes : Anti-C18orf32 Antibody (C-Term) at 1:2000 dilution Lane 1: human brain lysate Lane 2: LNCaP whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 9 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.