

Pax-8

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP22445a

Product Information

Application WB, E **Primary Accession** Q06710 Reactivity Human Host Rabbit Clonality polyclonal Isotype Rabbit Ig **Clone Names** R03362 Calculated MW 48218

Additional Information

Gene ID 7849

Other Names Paired box protein Pax-8, PAX8

Target/SpecificityThis antibody is generated from a rabbit immunized with a KLH conjugated

synthetic peptide between amino acids from human.

Dilution WB~~1:2000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.05% (V/V) Proclin 300. This

antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation

followed by dialysis against PBS.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions Pax-8 is for research use only and not for use in diagnostic or therapeutic

procedures.

Protein Information

Name PAX8

Function Transcription factor for the thyroid-specific expression of the genes

exclusively expressed in the thyroid cell type, maintaining the functional

differentiation of such cells.

Cellular Location Nucleus.

Tissue Location Expressed in the excretory system, thyroid gland and Wilms tumors


Background

Transcription factor for the thyroid-specific expression of the genes exclusively expressed in the thyroid cell type, maintaining the functional differentiation of such cells.

References

Poleev A., et al. Development 116:611-623(1992). Kozmik Z., et al. Mol. Cell. Biol. 13:6024-6035(1993). Poleev A., et al. Eur. J. Biochem. 228:899-911(1995). Ota T., et al. Nat. Genet. 36:40-45(2004). Hillier L.W., et al. Nature 434:724-731(2005).

Images



All lanes: Anti-Pax-8 Antibody at 1:2000 dilution + SK-OV-3 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 48 KDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.