

DNAJB4 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP50604

Product Information

Application WB

Primary Accession Q9UDY4

Reactivity Human, Mouse, Rat

HostRabbitClonalitypolyclonalCalculated MW37807

Additional Information

Gene ID 11080

Other Names DnaJ homolog subfamily B member 4, Heat shock 40 kDa protein 1 homolog,

HSP40 homolog, Heat shock protein 40 homolog, Human liver DnaJ-like

protein, DNAJB4, DNAJW, HLJ1

Dilution WB~~1:500-1:1000

Format Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4,

150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.

Storage Conditions -20°C

Protein Information

Name DNAJB4

Synonyms DNAJW, HLJ1

Function Probable chaperone. Stimulates ATP hydrolysis and the folding of unfolded

proteins mediated by HSPA1A/B (in vitro) (PubMed: 24318877).

Cellular Location Cytoplasm. Cell membrane. Cytoplasm, myofibril, sarcomere, Z line.

Note=Cytoplasmic according to PubMed:18837411 and membrane-associated

according to PubMed:16542645

Tissue Location Expressed in heart, pancreas and skeletal muscle, and to a lesser extent in

brain, placenta and liver


Background

Probable chaperone.

References

Hoe K.L., et al. Biochim. Biophys. Acta 1383:4-8(1998). Ota T., et al. Nat. Genet. 36:40-45(2004). Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases. Won M., et al. Submitted (NOV-1995) to the EMBL/GenBank/DDBJ databases. Bienvenut W.V., et al. Submitted (MAR-2009) to UniProtKB.

Images



Western blot analysis of lysates from Jurkat, HepG2 cell line (from left to right), using DNAJB4 Antibody (AP50604). AP50604 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35 ug per lane.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.