

Cyclin A1 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51052

Product Information

Application WB Primary Accession P78396

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW52358

Additional Information

Gene ID 8900

Other Names Cyclin-A1, CCNA1

Target/Specificity KLH conjugated synthetic peptide derived from human Cyclin A1

Dilution WB~~ 1:1000

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name CCNA1

Function May be involved in the control of the cell cycle at the G1/S (start) and G2/M

(mitosis) transitions. May primarily function in the control of the germline meiotic cell cycle and additionally in the control of mitotic cell cycle in some

somatic cells.

Cellular Location Nucleus {ECO:0000250 | UniProtKB:P20248}.

Tissue Location Very high levels in testis and very low levels in brain. Also found in myeloid

leukemia cell lines


Background

May be involved in the control of the cell cycle at the G1/S (start) and G2/M (mitosis) transitions. May primarily function in the control of the germline meiotic cell cycle and additionally in the control of mitotic cell cycle in some somatic cells.

References

Yang R., et al. Cancer Res. 57:913-920(1997).
Kalnine N., et al. Submitted (OCT-2004) to the EMBL/GenBank/DDBJ databases.
Ota T., et al. Nat. Genet. 36:40-45(2004).
Dunham A., et al. Nature 428:522-528(2004).
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.

Images



Anti-Cyclin A1 Antibody at 1:1000 dilution + SK-OV-3 whole cell lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L),Peroxidase conjugated at 1/10000 dilution Predicted band size : 52 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Citations

- The substitution of SERCA2 redox cysteine 674 promotes pulmonary vascular remodeling by activating IRE1 /XBP1s pathway
- Targeting the overexpressed CREB inhibits esophageal squamous cell carcinoma cell growth.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.