

EPHA6 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51189

Product Information

Application WB, IHC-P Primary Accession Q9UF33

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW116379

Additional Information

Gene ID 285220

Other Names Ephrin type-A receptor 6, EPH homology kinase 2, EHK-2, EPH-like kinase 12,

EK12, EPHA6, EHK2, HEK12

Dilution WB~~1:1000 IHC-P~~N/A

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name EPHA6

Synonyms EHK2, HEK12

Function Receptor tyrosine kinase which binds promiscuously GPI- anchored ephrin-A

family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse

signaling (By similarity).

Cellular Location Membrane; Single-pass type I membrane protein

Tissue Location Expressed in brain and testis.

Background

Receptor tyrosine kinase which binds promiscuously GPI- anchored ephrin-A family ligands residing on

adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling (By similarity).

References

Bechtel S., et al.BMC Genomics 8:399-399(2007). Muzny D.M., et al.Nature 440:1194-1198(2006). Hafner C., et al.Clin. Chem. 50:490-499(2004). Greenman C., et al.Nature 446:153-158(2007).

Citations

• Erythropoietin-producing hepatocellular A6 overexpression is a novel biomarker of poor prognosis in patients with breast cancer.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.