

# FA40B Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5134a

#### **Product Information**

Application WB, IHC-P, E Primary Accession Q9ULQ0

**Reactivity** Human, Mouse

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB24816
Calculated MW 95360
Antigen Region 14-41

#### **Additional Information**

**Gene ID** 57464

Other Names Striatin-interacting protein 2, Protein FAM40B, STRIP2, FAM40B, KIAA1170

**Target/Specificity** This FA40B antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 14-41 amino acids from the N-terminal

region of human FA40B.

**Dilution** WB~~1:1000 IHC-P~~1:100~500 E~~Use at an assay dependent concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** FA40B Antibody (N-term) is for research use only and not for use in diagnostic

or therapeutic procedures.

### **Protein Information**

Name STRIP2 ( HGNC:22209)

**Synonyms** FAM40B, KIAA1170

**Function** Plays a role in the regulation of cell morphology and cytoskeletal

organization. Required in the control of cell shape (PubMed:<u>21834987</u>). Calmodulin-binding scaffolding protein which is the center of the

striatin-interacting phosphatase and kinase (STRIPAK) complexes. STRIPAK complexes have critical roles in protein (de)phosphorylation and are regulators of multiple signaling pathways including Hippo, MAPK, nuclear receptor and cytoskeleton remodeling. Different types of STRIPAK complexes are involved in a variety of biological processes such as cell growth, differentiation, apoptosis, metabolism and immune regulation (PubMed:18782753).

**Cellular Location** 

Cytoplasm. Note=Enriched in lamellipodia.


# **Background**

The function of this protein has not been specifically defined.


## References

Kemp, H.A., et al. Mol. Cell. Biol. 23(5):1750-1763(2003)

## **Images**



Western blot analysis of FA40B Antibody (N-term) (Cat. #AP5134a) in mouse kidney tissue lysates (35ug/lane).FA40B (arrow) was detected using the purified Pab.



FA40B Antibody (N-term) (Cat. #AP5134a) IHC analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FA40B Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.