

# **PSMD3** Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51702

#### **Product Information**

Application WB Primary Accession 043242

**Reactivity** Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW60978

### **Additional Information**

**Gene ID** 5709

**Other Names** 26S proteasome non-ATPase regulatory subunit 3, 26S proteasome regulatory

subunit RPN3, 26S proteasome regulatory subunit S3, Proteasome subunit

p58, PSMD3

**Dilution** WB~~1:1000

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

**Storage** Store at -20 °C.Stable for 12 months from date of receipt

#### **Protein Information**

Name PSMD3

**Function** Component of the 26S proteasome, a multiprotein complex involved in the

ATP-dependent degradation of ubiquitinated proteins. This complex plays a key role in the maintenance of protein homeostasis by removing misfolded or damaged proteins, which could impair cellular functions, and by removing proteins whose functions are no longer required. Therefore, the proteasome participates in numerous cellular processes, including cell cycle progression,

apoptosis, or DNA damage repair.

# **Background**

Acts as a regulatory subunit of the 26 proteasome which is involved in the ATP-dependent degradation of ubiquitinated proteins.

## References

Kominami K.,et al.Mol. Biol. Cell 8:171-187(1997).
Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Wang X.,et al.Biochemistry 46:3553-3565(2007).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.