

NICE4 Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51877

Product Information

Application WB, ICC Primary Accession Q14157

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW114535

Additional Information

Gene ID 9898

Other Names Ubiquitin-associated protein 2-like, Protein NICE-4, UBAP2L, KIAA0144, NICE4

Dilution WB~~1:1000 ICC~~N/A

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name UBAP2L (HGNC:29877)

Synonyms KIAA0144, NICE4

Function Recruits the ubiquitination machinery to RNA polymerase II for

polyubiquitination, removal and degradation, when the transcription-coupled nucleotide excision repair (TC-NER) machinery fails to resolve DNA damage (PubMed:35633597). Plays an important role in the activity of long-term repopulating hematopoietic stem cells (LT- HSCs) (By similarity). Is a regulator

of stress granule assembly, required for their efficient formation (PubMed:<u>29395067</u>, PubMed:<u>35977029</u>). Required for proper brain

development and neocortex lamination (By similarity).

Cellular Location Nucleus. Chromosome. Cytoplasm Cytoplasm, Stress granule Note=Associates

with nuclear chromatin.

Tissue Location Ubiquitous...

References

Nagase T.,et al.DNA Res. 2:167-174(1995). Ota T.,et al.Nat. Genet. 36:40-45(2004). Gregory S.G.,et al.Nature 441:315-321(2006). Marenholz I.,et al.Genome Res. 11:341-355(2001). Brill L.M.,et al.Anal. Chem. 76:2763-2772(2004).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.