

Hsp70 (N-terminus) Antibody

Purified Mouse Monoclonal Antibody (Mab) Catalog # AP52676

Product Information

Application WB, ICC **Primary Accession** P08107 Reactivity Human Host Mouse Clonality Monoclonal Isotype IgG1 **Calculated MW** 70 KDa

Additional Information

Other Names DAQB 147D11.1 001;FLJ54303;FLJ54370;FLJ54392;FLJ54408;FLJ75127;Heat

> shock 70 kDa protein 1; Heat shock 70 kDa protein 1/2; Heat shock 70 kDa protein 1A/1B; heat shock 70kDa protein 1A; Heat shock 70kDa protein 1B; Heat shock induced protein; heat shock protein 70; HSP70 1; HSP70 2; HSP70-1/HSP7

0-2;HSP70-1A;HSP70.1;HSP70.1/HSP70.2;HSP70I;HSP71_HUMAN;HSP72;

HSPA1; HSPA1A; HSPA1B; XXbac BCX40G17.3 001.

Dilution WB~~1:1000 ICC~~1:300

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH

7.3.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Background


In cooperation with other chaperones, Hsp70s stabilize preexistent proteins against aggregation and mediate the folding of newly translated polypeptides in the cytosol as well as within organelles. These chaperones participate in all these processes through their ability to recognize nonnative conformations of other proteins. They bind extended peptide segments with a net hydrophobic character exposed by polypeptides during translation and membrane translocation, or following stress-induced damage. In case of rotavirus A infection, serves as a post-attachment receptor for the virus to facilitate entry into the cell.

References


Milner C.M., et al. Immunogenetics 32:242-251(1990).

Hunt C.,et al.Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985). Xie T.,et al.Genome Res. 13:2621-2636(2003). Shiina S.,et al.Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases. Ota T.,et al.Nat. Genet. 36:40-45(2004).

Images



Western blot detection of Hsp70(N-terminus) in Heat shcok Hela, Hela and HepG2 lysates using Hsp70(N-terminus) mouse mAb (1:1000 diluted). Predicted band size: 70KDa. Observed band size: 70KDa.



Immunocytochemistry stain of Hela using Hsp70 (N-terminus) mouse mAb (1:300).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.