beta Tubulin Antibody

Purified Mouse Monoclonal Antibody (Mab)
Catalog # AP52743

Product Information

Application	WB
Primary Accession	P07437
Reactivity	Human, Mouse
Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	49671

Additional Information

Gene ID	203068
Other Names	beta 4 tubulin;Beta 5 tubulin;beta Ib tubulin;M40;TUBB1;TUBB5;tubulin beta 1 chain; Tubulin beta 4 chain;tubulin beta 5 chain;Tubulin beta;Tubulin beta chain;tubulin beta polypeptide.
Dilution	WB~~1:1000
Format	Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.09% (W/V) sodium azide,0.1mg/mlBSA and 50% glycerol.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	TUBB
Synonyms	TUBB5
Function	Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.
Cellular Location	Cytoplasm, cytoskeleton
Tissue Location	Ubiquitously expressed with highest levels in spleen, thymus and immature brain.

Background

 Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

References

Lee M.G.-S.,et al.Cell 33:477-487(1983).
Hall J.L.,et al.Mol. Cell. Biol. 3:854-862(1983).
Crabtree D.V.,et al.Bioorg. Med. Chem. 9:1967-1976(2001).
Yu W.,et al.Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.
Shiina S.,et al.Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.

Images

Western blot detection of Tubulin beta in Jurkat,K562,C6,3T3 and Hela cell lysates and using Tubulin beta mouse mAb (1:1000 diluted).Predicted band size: 55KDa.Observed band size: 55KDa.