

# Eg5 Antibody

Purified Mouse Monoclonal Antibody (Mab) Catalog # AP53275

#### **Product Information**

Application WB, ICC, IP
Primary Accession P52732
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgG1
Calculated MW 119159

### **Additional Information**

Gene ID 3832

Other Names EG5;HKSP;KIF11;KIF11\_HUMAN;kinesin family member 11;Kinesin like protein

1;Kinesin like spindle protein HKSP;Kinesin-like protein 1;Kinesin-like protein KIF11;Kinesin-like spindle protein HKSP;Kinesin-related motor protein Eg5;KNSL1;MCLMR;Thyroid receptor interacting protein 5;Thyroid receptor-interacting protein 5;TR-interacting protein 5; TRIP-5;TRIP5.

**Dilution** WB~~1:1000 ICC~~1:200 IP~~1:500

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH

7.3.

**Storage** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

#### **Protein Information**

Name KIF11

**Synonyms** EG5, KNSL1, TRIP5

**Function** Motor protein required for establishing a bipolar spindle and thus

contributing to chromosome congression during mitosis (PubMed: 19001501, PubMed: 37728657). Required in non-mitotic cells for transport of secretory proteins from the Golgi complex to the cell surface (PubMed: 23857769).

**Cellular Location** Cytoplasm, Cytoplasm, cytoskeleton, spindle pole


# **Background**

Motor protein required for establishing a bipolar spindle. Blocking of KIF11 prevents centrosome migration and arrest cells in mitosis with monoastral microtubule arrays.


#### References

Blangy A.,et al.Cell 83:1159-1169(1995). Whitehead C.M.,et al.J. Cell Sci. 111:2551-2561(1998). Deloukas P.,et al.Nature 429:375-381(2004). Lee J.W.,et al.Mol. Endocrinol. 9:243-254(1995). Beausoleil S.A.,et al.Nat. Biotechnol. 24:1285-1292(2006).


## **Images**



Western blot detection of Eg5 in MCF7,293T,Jurkat and Hela cell lysates using Eg5 mouse mAb (1:1000 diluted).Predicted band size:130KDa.Observed band size:130KDa.



Immunocytochemistry staining of Hela using Eg5 mouse mAb (1:200).



Immunoprecipitation analysis of Jurkat cell lysates using Eg5 mouse mAb.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.