

Anti-BATF2 Antibody

Catalog # AP53749

Product Information

Application	WB
Primary Accession	Q8N1L9
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	29398


Additional Information

Gene ID	116071
Other Names	Basic leucine zipper transcriptional factor ATF-like 2; B-ATF-2; Suppressor of AP-1 regulated by IFN; SARI
Target/Specificity	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human BATF2. The exact sequence is proprietary.
Dilution	WB~~1/500 - 1/1000
Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	BATF2
Function	AP-1 family transcription factor that controls the differentiation of lineage-specific cells in the immune system. Following infection, participates in the differentiation of CD8(+) thymic conventional dendritic cells in the immune system. Acts via the formation of a heterodimer with JUN family proteins that recognizes and binds DNA sequence 5'-TGA[CG]TCA-3' and regulates expression of target genes (By similarity). Selectively suppresses CCN1 transcription and hence blocks the downstream cell proliferation signals produced by CCN1 and inhibits CCN1-induced anchorage-independent growth and invasion in several cancer types, such as breast cancer, malignant glioma and metastatic melanoma. Possibly acts by interfering with AP-1 binding to CCN1 promoter.
Cellular Location	Nucleus {ECO:0000255 PROSITE-ProRule:PRU00978}.

Images



Western blot analysis of BATF2 expression in MCF7 (A) whole cell lysates. (Predicted band size: 29 kD; Observed band size: 29 kD)

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.