

Anti-HCAP (pS1083) Antibody

Catalog # AP53817

Product Information

Application WB
Primary Accession 09U0E7

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW141542

Additional Information

Gene ID 9126

Other Names BAM; BMH; CSPG6; SMC3L1; Structural maintenance of chromosomes protein

3; SMC protein 3; SMC-3; Basement membrane-associated chondroitin

proteoglycan; Bamacan; Chondroitin sulfate proteoglycan 6;

Chromosome-associated polypeptide; hCAP

Target/Specificity Recognizes endogenous levels of HCAP (pS1083) protein.

Dilution WB~~1/500 - 1/1000

Format Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30%

glycerol, and 0.09% (W/V) sodium azide.

Storage Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name SMC3

Synonyms BAM, BMH, CSPG6, SMC3L1

Function Central component of cohesin, a complex required for chromosome

cohesion during the cell cycle. The cohesin complex may form a large proteinaceous ring within which sister chromatids can be trapped. At anaphase, the complex is cleaved and dissociates from chromatin, allowing sister chromatids to segregate. Cohesion is coupled to DNA replication and is involved in DNA repair. The cohesin complex also plays an important role in spindle pole assembly during mitosis and in chromosomes movement.

Cellular Location Nucleus {ECO:0000250|UniProtKB:Q9CW03}. Chromosome

{ECO:0000250|UniProtKB:Q9CW03}. Chromosome, centromere


{ECO:0000250 | UniProtKB:Q9CW03}. Note=Associates with chromatin. Before prophase it is scattered along chromosome arms. During prophase, most of

cohesin complexes dissociate from chromatin probably because of phosphorylation by PLK, except at centromeres, where cohesin complexes remain. At anaphase, the RAD21 subunit of the cohesin complex is cleaved, leading to the dissociation of the complex from chromosomes, allowing chromosome separation. The phosphorylated form at Ser-1083 is preferentially associated with unsynapsed chromosomal regions (By similarity). {ECO:0000250|UniProtKB:Q9CW03}

Background

Rabbit polyclonal antibody to HCAP (pS1083)

Images



Western blot analysis of HCAP (pS1083) expression in A549 (A), NS-1 (B), PC12 (C) whole cell lysates.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.