

# Anti-Relaxin 3 Antibody

Catalog # AP53864

## Product Information

---

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IHC, IF/IC         |
| Primary Accession | <a href="#">Q8WXF3</a> |
| Reactivity        | Human, Mouse, Rat      |
| Host              | Rabbit                 |
| Clonality         | Polyclonal             |
| Calculated MW     | 15451                  |

## Additional Information

---

|                    |                                                                                                                                          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Gene ID            | 117579                                                                                                                                   |
| Other Names        | INSL7; RXN3; ZINS4; Relaxin-3; Insulin-like peptide INSL7; Insulin-like peptide 7; Prorelaxin H3                                         |
| Target/Specificity | KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Relaxin 3. The exact sequence is proprietary. |
| Dilution           | WB~~1/500 - 1/1000 IHC~~1:100~500 IF/IC~~N/A                                                                                             |
| Format             | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.                                |
| Storage            | Store at -20 °C.Stable for 12 months from date of receipt                                                                                |

## Protein Information



---

|                   |                                                                                        |
|-------------------|----------------------------------------------------------------------------------------|
| Name              | RLN3                                                                                   |
| Synonyms          | INSL7, RXN3, ZINS4                                                                     |
| Function          | May play a role in neuropeptide signaling processes. Ligand for LGR7, RXFP3 and RXFP4. |
| Cellular Location | Secreted.                                                                              |


## Images

---

Western blot analysis of Relaxin 3 expression in DLD (A), rat testis (B), rat spleen (C) whole cell lysates. (Predicted band size: 15 kD; Observed band size: 15; 26 kD)



Immunohistochemical analysis of Relaxin 3 staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of Relaxin 3 staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark. Phalloidin - AF594 was used to stain Actin filaments (red). DAPI was used to stain the cell nuclei (blue).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.