

# Anti-Ubiquilin 3 Antibody

Catalog # AP53878

## Product Information

---

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IHC                |
| Primary Accession | <a href="#">Q9H347</a> |
| Reactivity        | Human, Rat, Bovine, Mk |
| Host              | Rabbit                 |
| Clonality         | Polyclonal             |
| Calculated MW     | 70841                  |

## Additional Information

---

|                    |                                                                                                                                            |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Gene ID            | 50613                                                                                                                                      |
| Other Names        | Ubiquilin-3                                                                                                                                |
| Target/Specificity | KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Ubiquilin 3. The exact sequence is proprietary. |
| Dilution           | WB~~1/500 - 1/1000 IHC~~1/50 - 1/200                                                                                                       |
| Format             | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.                                  |
| Storage            | Store at -20 °C.Stable for 12 months from date of receipt                                                                                  |

## Protein Information



---

|                 |                   |
|-----------------|-------------------|
| Name            | UBQLN3            |
| Tissue Location | Testis specific.. |


## Images

---

Western blot analysis of Ubiquilin 3 expression in A549  
(A) whole cell lysates. (Predicted band size: 70 kD;  
Observed band size: 71 kD)



Immunohistochemical analysis of Ubiquilin 3 staining in human testis formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunohistochemical analysis of Ubiquilin 3 staining in human testis formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.