

# Anti-ZIC1/2/3/4/5 Antibody

Catalog # AP53880

#### **Product Information**

Application Primary Accession Other Accession Reactivity Host Clonality Calculated MW Additional Informatio	WB Q15915 O95409, O60481, Q8N9L1, Q96T25 Human, Mouse, Rat Rabbit Polyclonal 48309
Gene ID	7545
Other Names	ZIC1; ZIC; ZNF201; Zinc finger protein ZIC 1; Zinc finger protein 201; Zinc finger protein of the cerebellum 1; ZIC2; Zinc finger protein ZIC 2; Zinc finger protein of the cerebellum 2; ZIC3; ZNF203; Zinc finger protein ZIC 3; Zinc finger protein 203; Zinc finger protein of the cerebellum 3; ZIC4; Zinc finger protein ZIC 4; Zinc finger protein of the cerebellum 4; ZIC5; Zinc finger protein ZIC 5; Zinc finger protein of the cerebellum 5
Target/Specificity	Recognizes endogenous levels of ZIC1/2/3/4/5 protein.
Dilution	WB~~1/500 - 1/1000
Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

### **Protein Information**

Name	ZIC1
Synonyms	ZIC, ZNF201
Function	Acts as a transcriptional activator. Involved in neurogenesis. Plays important roles in the early stage of organogenesis of the CNS, as well as during dorsal spinal cord development and maturation of the cerebellum. Involved in the spatial distribution of mossy fiber (MF) neurons within the pontine gray nucleus (PGN). Plays a role in the regulation of MF axon pathway choice. Promotes MF migration towards ipsilaterally-located cerebellar territories. May have a role in shear flow mechanotransduction in osteocytes. Retains nuclear GLI1 and GLI3 in the cytoplasm. Binds to the minimal GLI-consensus sequence 5'-TGGGTGGTC-3' (By similarity).

Cellular Location	Nucleus. Cytoplasm. Note=Localizes in the cytoplasm in presence of MDFIC overexpression.
Tissue Location	CNS. A high level expression is seen in the cerebellum. Detected in the nuclei of the cerebellar granule cell lineage from the progenitor cells of the external germinal layer to the postmigrated cells of the internal granular layer. Detected in medulloblastoma (26/29 cases), but not present in all other tumors examined.

## Background

Rabbit polyclonal antibody to ZIC1/2/3/4/5

### Images



Western blot analysis of ZIC1/2/3/4/5 expression in rat brain (A) whole cell lysates.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.