

ACBD3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP54669

Product Information

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q9H3P7
Reactivity	Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60593

Additional Information

Gene ID	64746
Other Names	Golgi resident protein GCP60, Acyl-CoA-binding domain-containing protein 3, Golgi complex-associated protein 1, GOCAP1, Golgi phosphoprotein 1, GOLPH1, PBR- and PKA-associated protein 7, Peripheral benzodiazepine receptor-associated protein PAP7, Golgi resident protein GCP60, N-terminally processed, ACBD3, GCP60, GOCAP1, GOLPH1
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	ACBD3
Synonyms	GCP60, GOCAP1, GOLPH1
Function	Involved in the maintenance of Golgi structure by interacting with giantin, affecting protein transport between the endoplasmic reticulum and Golgi (PubMed: 11590181). Involved in hormone-induced steroid biosynthesis in testicular Leydig cells (By similarity). Recruits PI4KB to the Golgi apparatus membrane; enhances the enzyme activity of PI4KB activity via its membrane recruitment thereby increasing the local concentration of the substrate in the vicinity of the kinase (PubMed: 27009356).
Cellular Location	Golgi apparatus membrane; Peripheral membrane protein; Cytoplasmic side. Mitochondrion. Note=Also mitochondrial (via its interaction with PBR).

Tissue Location

Ubiquitous, with highest expression in testis and ovary.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.