10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

POU3F3 Rabbit pAb

POU3F3 Rabbit pAb
Catalog # AP54681

Product Information

Application	WB, IHC-P, IHC-F, IF
Primary Accession	P20264
Predicted	Rat, Pig, Dog, Human, Mouse, Rabbit, Chicken, Horse, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	50327
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human Brain1/POU3F3
Epitope Specificity	351-450/500
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	The Brn family of transcription factors are found in a highly restricted subset of neurons and are critical to the early embryonic development of the central nervous system. Brn-1 and Brn-2 are class III POU domain proteins. Expressed during the development of the forebrain and coexpressed in most layer II-V cortical neurons, Brn-1 and Brn-2 appear to critically control the initiation of radial migration of cortical neurons. Brn-2 is thought to be involved in smooth muscle cell development and differentiation. Brn-3 is a class IV POU domain protein. Three Brn-3 proteins have been described and are designated Brn-3a, Brn-3b and Brn-3c. Brn-3a has two functional transactivating domains, one at the amino terminus and one at the carboxy terminus. While Brn-3a and Brn-3c stimulate transcription, Brn-3b generally functions as a transcriptional repressor. However, Brn-3b, but not Brn-3a, has been shown to regulate the expression of the acetylcholine receptor.

Additional Information

Gene ID	5455
Other Names	POU domain, class 3, transcription factor 3, Brain-specific homeobox/POU domain protein 1, Brain-1, Brn-1, Octamer-binding protein 8, Oct-8, Octamer-binding transcription factor 8, OTF-8, POU3F3 (HGNC:9216), BRN1, OTF8
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000

Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	POU3F3 (HGNC:9216)
Synonyms	BRN1, OTF8
Function	Transcription factor that acts synergistically with SOX11 and SOX4. Plays a role in neuronal development (PubMed:31303265). Is implicated in an enhancer activity at the embryonic met-mesencephalic junction; the enhancer element contains the octamer motif (5'-ATTTGCAT- 3') (By similarity).
Cellular Location	Nucleus.
Tissue Location	Brain..

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.