

Neurabin 1 Rabbit pAb

Neurabin 1 Rabbit pAb

Catalog # AP54700

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q9ULJ8
Reactivity	Rat, Mouse
Predicted	Pig, Dog, Human, Rabbit, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	123342
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human Neurabin 1/PPP1R9A
Epitope Specificity	115-165/1098
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Cytoplasm.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	This gene is imprinted, and located in a cluster of imprinted genes on chromosome 7q12. This gene is transcribed in both neuronal and multiple embryonic tissues, and it is maternally expressed mainly in embryonic skeletal muscle tissues and biallelically expressed in other embryonic tissues. The protein encoded by this gene includes a PDZ domain and a sterile alpha motif (SAM). It is a regulatory subunit of protein phosphatase I, and controls actin cytoskeleton reorganization. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2009]

Additional Information

Gene ID	55607
Other Names	Neurabin-1, Neurabin-I, Neural tissue-specific F-actin-binding protein I, Protein phosphatase 1 regulatory subunit 9A, PPP1R9A, KIAA1222
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


Protein Information

Name	PPP1R9A
Synonyms	KIAA1222
Function	Binds to actin filaments (F-actin) and shows cross-linking activity. Binds along the sides of the F-actin. May be involved in neurite formation. Inhibits protein phosphatase 1-alpha activity (By similarity).
Cellular Location	Cytoplasm, cytoskeleton. Synapse, synaptosome

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (Neurabin 1) Polyclonal Antibody, Unconjugated (AP54700) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.