

HOXC4 Rabbit pAb

HOXC4 Rabbit pAb
Catalog # AP54767

Product Information

Application	WB, IHC-P, IHC-F, IF, E
Primary Accession	P09017
Predicted Host	Human, Mouse, Rat, Dog, Horse, Rabbit, Zebrafish, Sheep
Clonality	Polyclonal
Calculated MW	29811
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human HOXC4
Epitope Specificity	181-264/264
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
SIMILARITY	Belongs to the Antp homeobox family. Deformed subfamily. Contains 1 homeobox DNA-binding domain.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Homeobox (HOX) genes, which share a highly conserved 183-bp sequence, encode proteins capable of binding to specific DNA sequences and functioning as transcription factors. During embryogenesis, HOX genes play a critical role in the spatial and temporal differentiation of cells. HoxC4, a sequence-specific transcription factor, belongs to the Antp HOX family and localizes to the nucleus. It functions as a part of a developmental regulatory system, providing cells with specific positional identities on the anterior-posterior axis. HoxC4 expression levels increase with differentiation of lymphoid cells, suggesting its role in the molecular regulation of hematopoiesis. HoxC4 is also expressed in differentiated keratinocytes.

Additional Information

Gene ID	3221
Other Names	Homeobox protein Hox-C4, Homeobox protein CP19, Homeobox protein Hox-3E, HOXC4, HOX3E
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	HOXC4
Synonyms	HOX3E
Function	Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis.
Cellular Location	Nucleus.

Background

Homeobox (HOX) genes, which share a highly conserved 183-bp sequence, encode proteins capable of binding to specific DNA sequences and functioning as transcription factors. During embryogenesis, HOX genes play a critical role in the spatial and temporal differentiation of cells. HoxC4, a sequence-specific transcription factor, belongs to the Antp HOX family and localizes to the nucleus. It functions as a part of a developmental regulatory system, providing cells with specific positional identities on the anterior-posterior axis. HoxC4 expression levels increase with differentiation of lymphoid cells, suggesting its role in the molecular regulation of hematopoiesis. HoxC4 is also expressed in differentiated keratinocytes.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.