

Annexin A11 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54861

Product Information

Application WB, IHC-P, IHC-F, IF, ICC, E

Primary Accession P50995

Reactivity Rat, Pig, Dog, Bovine **Predicted** Human, Mouse

HostRabbitClonalityPolyclonalCalculated MW54390

Additional Information

Gene ID 311

Other Names Annexin A11, 56 kDa autoantigen, Annexin XI, Annexin-11,

Calcyclin-associated annexin 50, CAP-50, ANXA11, ANX11

Dilution WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-50

0,ELISA=1:5000-10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name ANXA11

Synonyms ANX11

Function Binds specifically to calcyclin in a calcium-dependent manner (By similarity).

Required for midbody formation and completion of the terminal phase of

cytokinesis.

Cellular Location Cytoplasm. Melanosome. Nucleus envelope. Nucleus, nucleoplasm.

Cytoplasm, cytoskeleton, spindle Note=Found throughout the nucleoplasm at interphase and during mitosis concentrates around the mitotic apparatus (By similarity). Elevation of intracellular calcium causes relocalization from the nucleoplasm to the nuclear envelope, with little effect on the cytoplasmic pool

Localization to the nuclear envelope is cell-cycle dependent

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.