

FOXI1 Rabbit pAb

FOXI1 Rabbit pAb
Catalog # AP55090

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q12951
Predicted	Rat, Pig, Dog, Human, Mouse, Rabbit, Chicken, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40973
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human FOXI1
Epitope Specificity	101-200/378
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nuclear.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	FOXI1 is a member of the FOX family of transcription factors. The FOX family is a large group of proteins (consisting of at least 43 members) that share a common DNA binding domain termed winged-helix or forkhead domain. FOX transcription factors play important roles in development, differentiation, aging and hormone responsiveness. Localizing to the nucleus, FOXI1 functions as a transcription factor. Mice with mutated forms of FOXI1 show defects in ear development, implying that FOXI1 plays a significant role in the developmental pathway of ears and, in particular, the cochlea and vestibulum. FOXI1 is an upstream transcription regulator of Pendrin (a protein associated with deafness), suggesting a role for FOXI1 in the pathogenesis of Pendred syndrome (PS), a condition of nonsyndromic hearing loss and enlarged vestibular aqueduct (EVA).

Additional Information

Gene ID	2299
Other Names	Forkhead box protein I1, Forkhead-related protein FKHL10, Forkhead-related transcription factor 6, FREAC-6, Hepatocyte nuclear factor 3 forkhead homolog 3, HFH-3, HNF-3/fork-head homolog 3, FOXI1, FKHL10, FREAC6
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name	FOXI1
Synonyms	FKHL10, FREAC6
Function	Transcriptional activator required for the development of normal hearing, sense of balance and kidney function. Required for the expression of SLC26A4/PDS, JAG1 and COCH in a subset of epithelial cells and the development of the endolymphatic system in the inner ear. Also required for the expression of SLC4A1/AE1, SLC4A9/AE4, ATP6V1B1 and the differentiation of intercalated cells in the epithelium of distal renal tubules (By similarity).
Cellular Location	Nucleus.
Tissue Location	Expressed in kidney.

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.