

MKLN1 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP55232

Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q9UL63
Reactivity	Rat, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	84768

Additional Information

Gene ID	4289
Other Names	Muskelin, MKLN1
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	MKLN1
Function	Component of the CTLH E3 ubiquitin-protein ligase complex that selectively accepts ubiquitin from UBE2H and mediates ubiquitination and subsequent proteasomal degradation of the transcription factor HBP1 (PubMed: 29911972). Required for internalization of the GABA receptor GABRA1 from the cell membrane via endosomes and subsequent GABRA1 degradation (By similarity). Acts as a mediator of cell spreading and cytoskeletal responses to the extracellular matrix component THBS1 (PubMed: 18710924).
Cellular Location	Cytoplasm. Cytoplasm, cytosol {ECO:0000250 UniProtKB:O89050}. Nucleus, nucleoplasm {ECO:0000250 UniProtKB:O89050}. Cell projection, ruffle {ECO:0000250 UniProtKB:O89050}. Cytoplasm, cell cortex {ECO:0000250 UniProtKB:O89050}. Synapse {ECO:0000250 UniProtKB:O89050}. Postsynapse {ECO:0000250 UniProtKB:O89050}. Note=Colocalizes with GABRA1 at synapses and in postsynaptic regions. Colocalizes with actin fibers in the cell cortex. {ECO:0000250 UniProtKB:O89050}

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.