

# C19orf67 Rabbit pAb

C19orf67 Rabbit pAb Catalog # AP55291

## **Product Information**

**Application** WB, IHC-P, IHC-F, IF

Primary Accession A6NII6

**Reactivity** Human, Mouse **Predicted** Rat, Pig, Horse

Host Rabbit
Clonality Polyclonal
Calculated MW 39779
Physical State Liquid

**Immunogen** KLH conjugated synthetic peptide derived from human C19orf67

**Epitope Specificity** 251-358/358

**Isotype** IgG

**Purity** affinity purified by Protein A

**Buffer** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

**SIMILARITY** Belongs to the UPF0575 family.

**Important Note** This product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

## **Additional Information**

**Gene ID** 646457

Other Names UPF0575 protein C19orf67, C19orf67

**Dilution** WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

### **Protein Information**


Name C19orf67

### **Images**


Sample:293T (Human)cell Lysate at 40 ug

Primary: Anti-C19orf67(AP55291)at 1/300 dilution

Secondary: IRDye800CW Goat Anti-RabbitIgG at 1/20000



dilution Predicted band size: 40kD Observed band size:40kD



Paraformaldehyde-fixed, paraffin embedded (Mouse testis); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (C19orf67) Polyclonal Antibody, Unconjugated (AP55291) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.