

C1ORF151 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP55748

Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	<u>Q5TGZ0</u>
Reactivity	Rat, Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	8808

Additional Information

Gene ID	440574
Other Names	MICOS complex subunit MIC10, Mitochondrial inner membrane organizing system protein 1, MICOS10 (<u>HGNC:32068</u>)
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-50 0,ELISA=1:5000-10000
Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	MICOS10 (<u>HGNC:32068</u>)
Function	Component of the MICOS complex, a large protein complex of the mitochondrial inner membrane that plays crucial roles in the maintenance of crista junctions, inner membrane architecture, and formation of contact sites to the outer membrane.
Cellular Location	Mitochondrion inner membrane; Single-pass membrane protein. Note=The C-terminus is located in the intermembrane space (By similarity), while the location of the N- terminus has not been determined yet. As some programs predict the presence of 2 closely apposed membrane domains, it has been proposed that the protein may cross the membrane twice and that both termini may face the intermembrane space (PubMed:22114354). {ECO:0000250, ECO:0000269 PubMed:22114354}



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.