

# C20orf70 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP55807

## Product Information

|                          |                              |
|--------------------------|------------------------------|
| <b>Application</b>       | WB, IHC-P, IHC-F, IF, ICC, E |
| <b>Primary Accession</b> | <a href="#">Q96DR5</a>       |
| <b>Reactivity</b>        | Human                        |
| <b>Host</b>              | Rabbit                       |
| <b>Clonality</b>         | Polyclonal                   |
| <b>Calculated MW</b>     | 27011                        |

## Additional Information

|                    |   |
|--------------------|---|
| <b>Gene ID</b>     | 140683  |
| <b>Other Names</b> | BPI fold-containing family A member 2, Parotid secretory protein, PSP, Short palate, lung and nasal epithelium carcinoma-associated protein 2, BPIFA2, C20orf70, SPLUNC2                        |
| <b>Dilution</b>    | WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-10000   |
| <b>Format</b>      | 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce  |
| <b>Storage</b>     | Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C. |

## Protein Information

|                          |   |
|--------------------------|---|
| <b>Name</b>              | BPIFA2  |
| <b>Synonyms</b>          | C20orf70, SPLUNC2                                       |
| <b>Function</b>          | Has strong antibacterial activity against P.aeruginosa. |
| <b>Cellular Location</b> | Secreted.   |
| <b>Tissue Location</b>   | Detected in submandibular gland. Secreted into saliva.  |

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.