

FAM73B Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP56064

Product Information

Application WB, IHC-P, IHC-F, IF, ICC

Primary Accession Q7L4E1

Reactivity Rat, Pig, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 65531
Physical State Liquid

Immunogen KLH conjugated synthetic peptide derived from human FAM73B

Epitope Specificity 51-150/593

Isotype IgG

Purity affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

SUBCELLULAR LOCATION Membrane.

SIMILARITY Belongs to the FAM73 family.

Important Note This product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

Background Descriptions Chromosome 9 consists of about 145 million bases and 4% of the human

genome and encodes nearly 900 genes. Considered to play a role in gender determination, deletion of the distal portion of 9p can lead to development of male to female sex reversal, the phenotype of a female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which is characterized by harmful vascular defects, is associated with the chromosome 9 gene encoding endoglin protein, ENG. Familial dysautonomia is also associated with chromosome 9 though through the gene IKBKAP. Notably, chromosome 9

chromosome 9 though through the gene IKBKAP. Notably, chromosome 9 encompasses the largest interferon family gene cluster. Chromosome 9 is partnered with chromosome 22 in the translocation leading to the aberrant production of BCR-ABL fusion protein often found in leukemias. The FAM73B gene product has been provisionally designated FAM73B pending further

characterization.

Additional Information

Gene ID 84895

Other Names Mitoguardin 2, Protein FAM73B, MIGA2 {ECO:0000303|PubMed:26711011,

ECO:0000312 | HGNC:HGNC:23621}

Dilution WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-50

0

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name MIGA2 {ECO:0000303 | PubMed:26711011,

ECO:0000312 | HGNC:HGNC:23621 }


Function Regulator of mitochondrial fusion: acts by forming homo- and heterodimers

at the mitochondrial outer membrane and facilitating the formation of PLD6/MitoPLD dimers. May act by regulating phospholipid metabolism via

PLD6/MitoPLD.

Cellular Location Mitochondrion outer membrane; Multi-pass membrane protein

Images



Protein:

293T(human) lysate at 40ug; Hela(human) lysate at 40ug; A549(human) lysate at 40ug;

Primary: rabbit Anti-FAM73B (AP56064) at 1:300; Secondary: HRP conjugated Goat-Anti-rabbit

IgG(bs-0295G-HRP) at 1: 5000; Predicted band size: 65 kD Observed band size: 65 kD

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.