

HSP20 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP56455

Product Information

Application IHC-P, IHC-F, IF, E

Primary Accession <u>014558</u>

Reactivity Rat, Dog, Bovine

HostRabbitClonalityPolyclonalCalculated MW17136

Additional Information

Gene ID 126393

Other Names Heat shock protein beta-6, HspB6, Heat shock 20 kDa-like protein p20, HSPB6

Dilution IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000-10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name HSPB6

Function Small heat shock protein which functions as a molecular chaperone

probably maintaining denatured proteins in a folding- competent state. Seems to have versatile functions in various biological processes. Plays a role in regulating muscle function such as smooth muscle vasorelaxation and cardiac myocyte contractility. May regulate myocardial angiogenesis


implicating KDR. Overexpression mediates cardioprotection and angiogenesis after induced damage. Stabilizes monomeric YWHAZ thereby supporting

YWHAZ chaperone-like activity.

Cellular Location Cytoplasm. Nucleus. Secreted Note=Translocates to nuclear foci during heat

shock

Images



Paraformaldehyde-fixed, paraffin embedded (human breast); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (HSP20) Polyclonal Antibody, Unconjugated (AP56455) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.