10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TRMT61B Rabbit pAb

TRMT61B Rabbit pAb
Catalog # AP56578

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q9BVS5
Reactivity	Human
Predicted	Horse, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52965
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human TRMT61B
Epitope Specificity	381-477/477
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Mitochondrion
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	The second largest human chromosome, 2 consists of 237 million bases encoding over 1,400 genes and making up approximately 8% of the human genome. A number of genetic diseases are linked to genes on chromosome 2. Harlequin icthyosis, a rare and morbid skin deformity, is associated with mutations in the ABCA12 gene. The lipid metabolic disorder sitosterolemia is associated with ABCG5 and ABCG8. An extremely rare recessive genetic disorder, Alstr鰏 syndrome is due to mutations in the ALMS1 gene. Interestingly, chromosome 2 contains what appears to be a vestigial second centromere and vestigial telomeres which gives credence to the hypothesis that human chromosome 2 is the result of an ancient fusion of two ancestral chromosomes seen in modern form today in apes. The FLJ20628 gene product has been provisionally designated FLJ20628 pending further characterization.

Additional Information

Gene ID	55006
Other Names	tRNA (adenine(58)-N(1))-methyltransferase, mitochondrial, 2.1.1.220, mRNA methyladenosine-N(1)-methyltransferase, 2.1.1.-, TRMT61B
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.


Protein Information

Name	TRMT61B
Function	Methyltransferase that catalyzes the formation of N(1)- methyladenine at position 58 (m1A58) in various tRNAs in mitochondrion, including tRNA(Leu) (deciphering codons UUA or UUG), tRNA(Lys) and tRNA(Ser) (deciphering codons UCA, UCU, UCG or UCC) (PubMed:23097428). Catalyzes the formation of 1-methyladenosine at position 947 of mitochondrial 16S ribosomal RNA and this modification is most likely important for mitoribosomal structure and function (PubMed:27631568). In addition to tRNA N(1)-methyltransferase activity, also acts as a mRNA N(1)-methyltransferase by mediating methylation of adenosine residues at the N(1) position of MT-ND5 mRNA, leading to interfere with mitochondrial translation (PubMed:29107537).
Cellular Location	Mitochondrion matrix

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Paraformaldehyde-fixed, paraffin embedded (Human stomach cancer); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (TRMT61B) Polyclonal Antibody, Unconjugated (AP56578) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.