

SCARA3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP56636

Product Information

Application	WB, IHC-P, IHC-F, IF, ICC
Primary Accession	Q6AZY7
Reactivity	Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	65137
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human SCARA3
Epitope Specificity	231-330/606
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Endoplasmic reticulum membrane. Golgi apparatus membrane. Endoplasmic reticulum and/or Golgi.
SIMILARITY	Contains 2 collagen-like domains.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	This gene encodes a macrophage scavenger receptor-like protein. This protein has been shown to deplete reactive oxygen species, and thus play an important role in protecting cells from oxidative stress. The expression of this gene is induced by oxidative stress. Alternatively spliced transcript variants encoding distinct isoforms have been described. [provided by RefSeq, Jul 2008]

Additional Information

Gene ID	51435
Other Names	Scavenger receptor class A member 3, Cellular stress response gene protein, SCARA3, CSR
Target/Specificity	Expressed ubiquitously.
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500
Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	SCARA3
Synonyms	CSR
Function	Seems to protect cells by scavenging oxidative molecules or harmful products of oxidation.
Cellular Location	Endoplasmic reticulum membrane; Single-pass type II membrane protein. Golgi apparatus membrane; Single-pass type II membrane protein. Note=Endoplasmic reticulum and/or Golgi
Tissue Location	Expressed ubiquitously.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.