

MAD4 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP57178

Product Information

Application IHC-P, IHC-F, IF, ICC, E

Primary Accession Q14582

Reactivity Rat, Pig, Dog, Bovine

HostRabbitClonalityPolyclonalCalculated MW23528

Additional Information

Gene ID 10608

Other Names Max dimerization protein 4, Max dimerizer 4, Class C basic helix-loop-helix

protein 12, bHLHc12, Max-associated protein 4, Max-interacting

transcriptional repressor MAD4, MXD4, BHLHC12, MAD4

Dilution IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-

10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name MXD4

Synonyms BHLHC12, MAD4

Function Transcriptional repressor. Binds with MAX to form a sequence- specific

DNA-binding protein complex which recognizes the core sequence

5'-CAC[GA]TG-3'. Antagonizes MYC transcriptional activity by competing for MAX and suppresses MYC dependent cell transformation (By similarity).

Cellular Location Nucleus {ECO:0000255|PROSITE-ProRule:PRU00981}.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.