

PTP mu Rabbit pAb

PTP mu Rabbit pAb

Catalog # AP57269

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	P28827
Predicted	Rat, Dog, Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	163682
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human PTP mu
Epitope Specificity	201-300/1452
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Membrane.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP possesses an extracellular region, a single transmembrane region, and two tandem catalytic domains, and thus represents a receptor-type PTP. The extracellular region contains a meprin-A5 antigen-PTP mu (MAM) domain, an Ig-like domain and four fibronectin type III-like repeats. This PTP has been shown to mediate cell-cell aggregation through the interaction with another molecule of this PTP on an adjacent cell. This PTP can interact with scaffolding protein RACK1/GNB2L1, which may be necessary for the downstream signaling in response to cell-cell adhesion. Alternative splicing results in multiple transcripts encoding distinct isoforms. [provided by RefSeq, Jul 2008]

Additional Information

Gene ID	5797
Other Names	Receptor-type tyrosine-protein phosphatase mu, Protein-tyrosine phosphatase mu, R-PTP-mu, 3.1.3.48, PTPRM, PTPRL1
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name	PTPRM
Synonyms	PTPRL1
Function	Receptor protein-tyrosine phosphatase that mediates homotypic cell-cell interactions and plays a role in adipogenic differentiation via modulation of p120 catenin/CTNND1 phosphorylation (PubMed: 10753936 , PubMed: 17761881). Promotes CTNND1 dephosphorylation and prevents its cytoplasmic localization where it inhibits SLC2A4 membrane trafficking. In turn, SLC2A4 is directed to the plasma membrane and performs its glucose transporter function (PubMed: 21998202).
Cellular Location	Cell membrane; Single-pass type I membrane protein. Note=Localizes in regions of cell- cell contact.

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.