

NAB1 Rabbit pAb

NAB1 Rabbit pAb
Catalog # AP57340

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q13506
Predicted	Rat, Pig, Human, Mouse, Rabbit, Chicken, Horse, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54401
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human NAB1
Epitope Specificity	401-487/487
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Transcriptional control is in part regulated by interactions between DNA-bound transcription factors, such as Egr1/NGFI-A, and coregulatory proteins, such as NAB (for NGFI-A-binding proteins). The evolutionarily conserved NAB proteins, NAB1 and NAB2, are corepressors of Egr1/NGFI-A. Both NAB1 and NAB2 contain an amino-terminal NAB-conserved domain 1 (NCB1), which is required for binding NGFI-A, and a carboxy-terminal NCD2, which is responsible for the repressor function of NAB proteins. NAB1 requires NGFI-A to gain access to DNA, indicating that NAB1 is an active repressor that works by a direct mechanism. NAB1, which is constitutively expressed, is localized exclusively in the nucleus and may play a role in controlling processes such as cell division, differentiation and apoptosis.

Additional Information

Gene ID	4664
Other Names	NGFI-A-binding protein 1, EGR-1-binding protein 1, Transcriptional regulatory protein p54, NAB1
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC/IF=1:100-500,IF=1:100-500,ELISA=1:500 0-10000
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	NAB1
Function	Acts as a transcriptional repressor for zinc finger transcription factors EGR1 and EGR2.
Cellular Location	Nucleus.
Tissue Location	Isoform Short is found in myeloid leukemia cell line KG-1

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.