

## NBPF6 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP57366

## **Product Information**

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q5VWK0
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	72239
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human NBPF6
Epitope Specificity	551-638/638
Isotype	IgG
Purity	affinity purified by Protein A
Buffer SUBCELLULAR LOCATION SIMILARITY Important Note Background Descriptions	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Cytoplasm Belongs to the NBPF family. Contains 3 NBPF domains. This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications. This gene is a member of the neuroblastoma breakpoint family (NBPF) which consists of dozens of recently duplicated genes primarily located in segmental duplications on human chromosome 1. This gene family has experienced its greatest expansion within the human lineage and has expanded, to a lesser extent, among primates in general. Members of this gene family are characterized by tandemly repeated copies of DUF1220 protein domains. Gene copy number variations in the human chromosomal region 1q21.1, where most DUF1220 domains are located, have been implicated in a number of developmental and neurogenetic diseases such as microcephaly, macrocephaly, autism, schizophrenia, mental retardation, congenital heart disease, neuroblastoma, and congenital kidney and urinary tract anomalies. Altered expression of some gene family members is associated with several types of cancer. This gene family contains numerous pseudogenes. Alternative splicing of this gene results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Mar 2013]

## **Additional Information**

Gene ID	653149
Other Names	Neuroblastoma breakpoint family member 6, NBPF6
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000- 10000

Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Name N	BPF6 ( <u>HGNC:31988</u> )
--------	----------------------------

Cellular Location Cytoplasm.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.