

ZFP62 Rabbit pAb

ZFP62 Rabbit pAb
Catalog # AP57404

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q8NB50
Reactivity	Rat
Predicted	Pig, Human, Mouse, Rabbit, Horse, Sheep
Host	Rabbit
Clonality	Polyclonal
Calculated MW	102511
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human ZFP62
Epitope Specificity	431-530/900
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Annotation of ZFP62 was placed on AC016572.6 on NCBI's annotation 36.3. This clone has been determined to be redundant, so the annotation was merged with the location on the assembled chromosome. [02 Mar 2009]

Additional Information

Gene ID	643836
Other Names	Zinc finger protein 62 homolog, Zfp-62, ZFP62
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


Protein Information

Name	ZFP62
Function	May play a role in differentiating skeletal muscle.
Cellular Location	Nucleus.

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Paraformaldehyde-fixed, paraffin embedded (rat testis tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZFP62) Polyclonal Antibody, Unconjugated (AP57404) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.