

ZNF670 Rabbit pAb

ZNF670 Rabbit pAb

Catalog # AP57567

Product Information

Application	WB, IHC-P, IHC-F, IF
Primary Accession	Q9BS34
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	44603
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human ZNF670
Epitope Specificity	1-100/389
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nuclear
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	ZNF670 (Zinc Finger Protein 670) is a Protein Coding gene. Diseases associated with ZNF670 include Vitreous Disease. Among its related pathways are Gene Expression. GO annotations related to this gene include nucleic acid binding. An important paralog of this gene is ZNF627.

Additional Information

Gene ID	93474
Other Names	Zinc finger protein 670, ZNF670
Dilution	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


Protein Information

Name	ZNF670
Function	May be involved in transcriptional regulation.
Cellular Location	Nucleus.

Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Images



Sample:

293T(Human) Cell Lysate at 30 ug


DU145(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF670 (AP57567) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 45 kD

Observed band size: 45 kD



Paraformaldehyde-fixed, paraffin embedded (Human kidney tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZNF670) Polyclonal Antibody, Unconjugated (AP57567) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.