

Pygopus 2 Rabbit pAb

Pygopus 2 Rabbit pAb
Catalog # AP57625

Product Information

Application	IHC-P, IHC-F, IF
Primary Accession	Q9BRQ0
Reactivity	Mouse
Predicted	Human, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	41244
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human Pygopus 2
Epitope Specificity	221-320/406
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
SIMILARITY	Contains 1 PHD-type zinc finger.
SUBUNIT	Binds to BCL9 via the PHD-type zinc finger motif, and thereby becomes part of the nuclear beta-catenin/TCF complex.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.


Additional Information

Gene ID	90780
Other Names	Pygopus homolog 2, PYGO2
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	PYGO2
Function	Involved in signal transduction through the Wnt pathway.
Cellular Location	Nucleus.

Images



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (Pygopus 2) Polyclonal Antibody, Unconjugated (AP57625) at 1:500 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.