

## NIPAL1/NIPA3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP57662

## **Product Information**

**Application** IHC-P, IHC-F, IF, ICC, E

Primary Accession Q6NVV3

**Reactivity** Rat, Pig, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 44638
Physical State Liquid

Immunogen KLH conjugated synthetic peptide derived from human NIPAL1/NIPA3

Epitope Specificity 251-350/410

**Purity** affinity purified by Protein A

**Buffer** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

**SUBCELLULAR LOCATION** Membrane.

**SIMILARITY** Belongs to the NIPA family.

**Important Note** This product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

## **Additional Information**

**Gene ID** 152519

Other Names Magnesium transporter NIPA3, NIPA-like protein 1, Non-imprinted in

Prader-Willi/Angelman syndrome region protein 3, NIPAL1, NIPA3, NPAL1

Dilution IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-

10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

## **Protein Information**

Name NIPAL1

Synonyms NIPA3, NPAL1

**Function** Acts as a Mg(2+) transporter. Can also transport other divalent cations such

as Fe(2+), Sr(2+), Ba(2+), Mn(2+), Cu(2+) and Co(2+) but to a much less extent

than Mg(2+) (By similarity).

**Cellular Location** Golgi apparatus membrane {ECO:0000250 | UniProtKB:Q8BMW7}; Multi-pass

membrane protein

**Tissue Location** Expressed in the pancreatic islets.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.