

PREB Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP57731

Product Information

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q9HCU5
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45468

Additional Information

Gene ID	10113
Other Names	Prolactin regulatory element-binding protein, Mammalian guanine nucleotide exchange factor mSec12, PREB, SEC12
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000-10000
Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	PREB {ECO:0000303 PubMed:10920239, ECO:0000312 HGNC:HGNC:9356}
Function	Guanine nucleotide exchange factor (GEF) that regulates the assembly of the coat protein complex II/COPII in endoplasmic reticulum (ER) to Golgi vesicle-mediated transport. Selectively activates SAR1A and SAR1B by promoting the exchange of guanosine diphosphate (GDP) for guanosine triphosphate (GTP) in these small GTPases (PubMed: 32358066). In their activated GTP-bound state, SAR1A and SAR1B insert into the membrane of the endoplasmic reticulum where they recruit the remainder of the coat protein complex II/COPII which is responsible for both the sorting of proteins and the deformation and budding of membranes into vesicles destined to the Golgi (PubMed: 32358066).
Cellular Location	Endoplasmic reticulum membrane {ECO:0000250 UniProtKB:Q9WTV0}; Single-pass membrane protein {ECO:0000250 UniProtKB:Q9WTV0}. Nucleus {ECO:0000250 UniProtKB:Q9WTV0} Note=Concentrates at endoplasmic reticulum exit sites (ERES), also known as transitional endoplasmic reticulum

(tER)

Tissue Location

Ubiquitous.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.