

CACNB2 Rabbit pAb

CACNB2 Rabbit pAb Catalog # AP58070

Product Information

Application IHC-P, IHC-F, IF, E

Primary Accession Q08289

Reactivity Rat, Mouse, Chicken, Dog, Horse

Host Rabbit
Clonality Polyclonal
Calculated MW 73581
Physical State Liquid

Immunogen KLH conjugated synthetic peptide derived from human CACNB2

Epitope Specificity 551-655/655

Isotype IgG

Purity affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

SUBCELLULAR LOCATION Cell membrane, sarcolemma; Peripheral membrane protein; Cytoplasmic

side.

SIMILARITY Belongs to the calcium channel beta subunit family. Contains 1 SH3 domain. **SUBUNIT** The L-type calcium channel is composed of four subunits: alpha-1, alpha-2,

beta and gamma. Interacts with RRAD. Interaction with RRAD regulates the

trafficking of CACNA1C to the cell membrane.

Important NoteThis product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

Background Descriptions This gene encodes a subunit of a voltage-dependent calcium channel protein

that is a member of the voltage-gated calcium channel superfamily. The gene product was originally identified as an antigen target in Lambert-Eaton myasthenic syndrome, an autoimmune disorder. Mutations in this gene are associated with Brugada syndrome. Alternatively spliced variants encoding different isoforms have been described. [provided by RefSeq, Feb 2013]

Additional Information

Gene ID 783

Other Names Voltage-dependent L-type calcium channel subunit beta-2, CAB2, Calcium

channel voltage-dependent subunit beta 2, Lambert-Eaton myasthenic

syndrome antigen B, MYSB, CACNB2, CACNLB2, MYSB

Dilution IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000-10000

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

Protein Information

Name CACNB2

Synonyms CACNLB2, MYSB

Function Beta subunit of voltage-dependent calcium channels which contributes to

the function of the calcium channel by increasing peak calcium current (By similarity). Plays a role in shifting voltage dependencies of activation and inactivation of the channel (By similarity). May modulate G protein inhibition (By similarity). May contribute to beta-adrenergic augmentation of Ca(2+) influx in cardiomyocytes, thereby regulating increases in heart rate and contractile force (PubMed:36424916). Involved in membrane targeting of the

alpha-1 subunit CACNA1C (PubMed: 17525370).

Cellular Location Cell membrane, sarcolemma; Peripheral membrane protein; Cytoplasmic side

Tissue Location Expressed in all tissues.

Background

This gene encodes a subunit of a voltage-dependent calcium channel protein that is a member of the voltage-gated calcium channel superfamily. The gene product was originally identified as an antigen target in Lambert-Eaton myasthenic syndrome, an autoimmune disorder. Mutations in this gene are associated with Brugada syndrome. Alternatively spliced variants encoding different isoforms have been described. [provided by RefSeq, Feb 2013]

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.