

## DCBLD2 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58326

## **Product Information**

**Application** WB, IHC-P, IHC-F, IF, E

Primary Accession
Reactivity
Rat, Dog
Host
Clonality
Polyclonal
Calculated MW
85035
Physical State
Liquid

Immunogen KLH conjugated synthetic peptide derived from human DCBLD2

Epitope Specificity 201-300/775

**Isotype** IgG

**Purity** affinity purified by Protein A

**Buffer** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

**SUBCELLULAR LOCATION** Membrane; Single-pass type I membrane protein.

SIMILARITY Contains 1 CUB domain.Contains 1 F5/8 type C domain.Contains 1 LCCL

domain.

**Important Note** This product as supplied is intended for research use only, not for use in

human, therapeutic or diagnostic applications.

**Background Descriptions** DCBLD2, otherwise known as ESDN (endothelial and smooth muscle

cell-derived neuropilin-like molecule) is a novel type-I transmembrane protein with the longest cleavable secretory signal sequence among eukaryotes. It is expressed in various tissues; particularly highly expressed in cultured vascular smooth muscle cells. DCBLD2 is considered to play a role in regulation of vascular cell growth and may have a wide variety of functions in other tissues

including the nervous system, like neuropilins.

## **Additional Information**

**Gene ID** 131566

Other Names Discoidin, CUB and LCCL domain-containing protein 2, CUB, LCCL and

coagulation factor V/VIII-homology domains protein 1, Endothelial and smooth muscle cell-derived neuropilin-like protein, DCBLD2, CLCP1, ESDN

Target/Specificity Highly expressed in testis, heart, skeletal muscle and also in cultured vascular

smooth muscle cells.

**Dilution** WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000

-10000

Format 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

## **Protein Information**

Name DCBLD2

Synonyms CLCP1, ESDN

**Cellular Location** Membrane; Single- pass type I membrane protein

Tissue Location Highly expressed in testis, heart, skeletal muscle and also in cultured vascular

smooth muscle cells

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.