

# ZNF288 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP58453

## Product Information

<b>Application</b>	WB, IHC-P, IHC-F, IF, E
<b>Primary Accession</b>	<a href="#">Q9HC78</a>
<b>Reactivity</b>	Rat, Dog
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Calculated MW</b>	81083

## Additional Information

<b>Gene ID</b>	26137
<b>Other Names</b>	Zinc finger and BTB domain-containing protein 20, Dendritic-derived BTB/POZ zinc finger protein, Zinc finger protein 288, ZBTB20, DPZF, ZNF288
<b>Dilution</b>	WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000-10000
<b>Format</b>	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
<b>Storage</b>	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

## Protein Information

<b>Name</b>	ZBTB20
<b>Synonyms</b>	DPZF, ZNF288
<b>Function</b>	May be a transcription factor that may be involved in hematopoiesis, oncogenesis, and immune responses (PubMed: <a href="#">11352661</a> ). Plays a role in postnatal myogenesis, may be involved in the regulation of satellite cells self-renewal (By similarity).
<b>Cellular Location</b>	Nucleus {ECO:0000250 UniProtKB:Q8K0L9}.
<b>Tissue Location</b>	Expressed in spleen, lymph node, thymus, peripheral blood leukocytes, and fetal liver.