

TZFP/ZNF538 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58832

Product Information

| Application | IHC-P, IHC-F, IF, ICC, E |
|-------------------|----------------------------|
| Primary Accession | <u>Q9Y2Y4</u> |
| Reactivity | Rat, Pig, Dog, Cat, Bovine |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | 52963 |

Additional Information

| Gene ID | 27033 |
|-------------|--|
| Other Names | Zinc finger and BTB domain-containing protein 32, FANCC-interacting protein, Fanconi anemia zinc finger protein, Testis zinc finger protein, Zinc finger protein 538, ZBTB32, FAZF, TZFP, ZNF538 |
| Dilution | IHC-P=1:100-500,IHC-F=1:100-500,ICC=1:100-500,IF=1:100-500,ELISA=1:5000- 10000 |
| Format | 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce |
| Storage | Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C. |

| Protein Information | |
|---------------------|--|
| Name | ZBTB32 |
| Synonyms | FAZF, TZFP, ZNF538 |
| Function | DNA-binding protein that binds to the to a 5'-TGTACAGTGT-3' core sequence. May function as a transcriptional transactivator and transcriptional repressor. Probably exerts its repressor effect by preventing GATA3 from binding to DNA. May play a role in regulating the differentiation and activation of helper T-cells (By similarity). |
| Cellular Location | Nucleus. Note=Located in nuclear speckles |
| Tissue Location | Predominantly expressed in testis. Some isoforms are ubiquitously expressed. |

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.