

# CCDC43 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP58889

## Product Information

---

|                                |  |
|--------------------------------|--|
| <b>Application</b>             | WB, IHC-P, IHC-F, IF, E  |
| <b>Primary Accession</b>       | <a href="#">Q96MW1</a>   |
| <b>Reactivity</b>              | Rat, Pig, Dog, Bovine  |
| <b>Host</b>                    | Rabbit   |
| <b>Clonality</b>               | Polyclonal   |
| <b>Calculated MW</b>           | 25248  |
| <b>Physical State</b>          | Liquid   |
| <b>Immunogen</b>               | KLH conjugated synthetic peptide derived from Human CCDC43   |
| <b>Epitope Specificity</b>     | 151-224/224  |
| <b>Isotype</b>                 | IgG  |
| <b>Purity</b>                  | affinity purified by Protein A   |
| <b>Buffer</b>                  | 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.  |
| <b>SIMILARITY</b>              | Belongs to the CCDC43 family.  |
| <b>Important Note</b>          | This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.  |
| <b>Background Descriptions</b> | The coiled-coil domain is a structural motif found in proteins that are involved in a diverse array of biological functions such as the regulation of gene expression, cell division, membrane fusion and drug extrusion and delivery. CCDC43 (coiled-coil domain containing 43) is a 224 amino acid protein encoded by a gene that maps to human chromosome 17q21.31. Encoding over 1,200 genes, chromosome 17 comprises over 2.5% of the human genome. Two key tumor suppressor genes are associated with chromosome 17, namely, p53 and BRCA1. Tumor suppressor p53 is necessary for maintenance of cellular genetic integrity by moderating cell fate through DNA repair versus cell death. Malfunction or loss of p53 expression is associated with malignant cell growth and Li-Fraumeni syndrome. |

## Additional Information

---

|                    |   |
|--------------------|---|
| <b>Gene ID</b>     | 124808  |
| <b>Other Names</b> | Coiled-coil domain-containing protein 43, CCDC43  |
| <b>Dilution</b>    | WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000-10000   |
| <b>Format</b>      | 0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce  |
| <b>Storage</b>     | Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C. |

## Protein Information

---

|             |        |
|-------------|--------|
| <b>Name</b> | CCDC43 |
|-------------|--------|

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.