

# **RAB6B Polyclonal Antibody**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58959

### **Product Information**

**Application** WB, IHC-P, IHC-F, IF, E

Primary Accession Q9NRW1

**Reactivity** Rat, Pig, Dog, Bovine

HostRabbitClonalityPolyclonalCalculated MW23462

## **Additional Information**

**Gene ID** 51560

Other Names Ras-related protein Rab-6B, RAB6B

**Dilution** WB=1:500-2000,IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500,ELISA=1:5000

-10000

Format 0.01 M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When

reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody

is stable for at least two weeks at 2-4 °C.

#### **Protein Information**

Name RAB6B ( HGNC:14902)

**Function** The small GTPases Rab are key regulators of intracellular membrane

trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between active GTP-bound and inactive GDP-bound states. In their active state, drive transport of vesicular carriers from donor organelles to acceptor organelles to regulate the membrane traffic that maintains organelle identity and morphology (By similarity). Recruits VPS13B to the Golgi membrane (PubMed:25492866). Regulates the compacted morphology of the Golgi (PubMed:26209634). Seems to have a role in retrograde membrane traffic at the level of the Golgi complex. May function in retrograde transport in neuronal cells (PubMed:17707369). Plays a role in

neuron projection development (PubMed: 25492866).

**Cellular Location** Golgi apparatus membrane; Lipid-anchor. Endoplasmic reticulum-Golgi

intermediate compartment Cytoplasmic vesicle. Note=Colocalizes with BICD1

at vesicular structures that align along microtubules

## **Tissue Location**

Predominantly expressed in brain.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.