

Adropin Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP59415

Product Information

Application	IHC-P, IHC-F, IF, E
Primary Accession	Q6UWT2
Reactivity	Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	7927
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human Adropin
Epitope Specificity	21-76/76
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Secreted.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Background Descriptions	Involved in the regulation of glucose homeostasis and lipid metabolism.

Additional Information


Gene ID	375704
Other Names	Adropin, Energy homeostasis-associated protein, ENHO, C9orf165
Target/Specificity	Expressed in liver and brain.
Dilution	IHC-P=1:100-500,IHC-F=1:100-500,IF=1:50-200,ELISA=1:5000-10000
Format	0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce
Storage	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Protein Information

Name	ENHO
Synonyms	C9orf165

Function	Involved in the regulation of glucose homeostasis and lipid metabolism.
Cellular Location	Secreted.
Tissue Location	Expressed in liver and brain.

Images



Paraformaldehyde-fixed, paraffin embedded (human colon carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (Adropin) Polyclonal Antibody, Unconjugated (AP59415) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.