

## Anti-PRKAR1B Antibody

Rabbit polyclonal antibody to PRKAR1B  
Catalog # AP59670

### Product Information

---

<b>Application</b>	WB, IHC
<b>Primary Accession</b>	<a href="#">P31321</a>
<b>Other Accession</b>	<a href="#">P12849</a>
<b>Reactivity</b>	Human, Mouse, Rat, Zebrafish, Chicken, Drosophila
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Calculated MW</b>	43073

### Additional Information

---

<b>Gene ID</b>	5575
<b>Other Names</b>	cAMP-dependent protein kinase type I-beta regulatory subunit
<b>Target/Specificity</b>	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human PRKAR1B. The exact sequence is proprietary.
<b>Dilution</b>	WB~~WB (1/500 - 1/1000), IHC (1/100 - 1/200) IHC~~WB (1/500 - 1/1000), IHC (1/100 - 1/200)
<b>Format</b>	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.
<b>Storage</b>	Store at -20 °C. Stable for 12 months from date of receipt

### Protein Information

---

<b>Name</b>	PRKAR1B
<b>Function</b>	Regulatory subunit of the cAMP-dependent protein kinases involved in cAMP signaling in cells.
<b>Cellular Location</b>	Cell membrane.
<b>Tissue Location</b>	Four types of regulatory chains are found: I-alpha, I-beta, II-alpha, and II-beta. Their expression varies among tissues and is in some cases constitutive and in others inducible


### Background

---


KLH-conjugated synthetic peptide encompassing a sequence within the center region of human PRKAR1B. The exact sequence is proprietary.

## Images

---



Western blot analysis of PRKAR1B expression in HEK293T (A), U2OS (B), MCF7 (C), mouse liver (D) whole cell lysates.



Immunohistochemical analysis of PRKAR1B staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.